

WHAT IS CLAIMED:

- 1 1. An eraser composition comprising:
2 22 - 41 wt% styrene-ethylene/butylene-styrene block copolymer;
3 5 - 15 wt% ethylene/propylene copolymer;
4 30 - 50 wt% calcium carbonate;
5 10 - 25 wt% factice; and
6 0.1 - 7 wt% pumice.
- 1 2. The eraser composition of claim 1 further comprising up to 1 wt% titanium
2 dioxide.
- 1 3. The eraser composition of claim 1 wherein said composition has a hardness
2^a of ~~from~~ 70 to 85 Shore A.
- 1 4. The eraser composition of claim 1 wherein said calcium carbonate is dry
2 ground.
- 1 5. The eraser composition of claim 1 wherein said calcium carbonate has a
2^a mean particle size of ~~from~~ 6 to 20 microns.
- 1 6. The eraser composition of claim 1 wherein said calcium carbonate has a
2 mean particle size of 12 microns.
- 1 7. The eraser composition of claim 1 wherein said pumice is present at ~~from~~ 2
2 to 3 wt%.
- 1 8. An eraser composition comprising:
2 22 - 41 wt% styrene-ethylene/butylene-styrene block copolymer;
3 7 - 9 wt% ethylene/propylene copolymer;
4 30 - 50 wt% calcium carbonate;
5 17 - 19 wt% factice;
6 0.1 - 7 wt% pumice; and
7 0.1 - 1 wt% titanium dioxide.
- 1 9. The eraser composition of claim 8 wherein said composition has a hardness
2^a of ~~from~~ 70 to 85 Shore A.

12

1 10. The eraser composition of claim 8 wherein said calcium carbonate is dry
2 ground.

EX 1 11. The eraser composition of claim 8 wherein said calcium carbonate has a
2a mean particle size of ~~from~~ 6 to 20 microns.

1 12. The eraser composition of claim 8 wherein said calcium carbonate has a
2 mean particle size of 12 microns.

EX 1a 13. The eraser composition of claim 8 wherein said pumice is present at ~~from~~ 2
2 to 3 wt%.

1 14. An eraser composition comprising:
2 32 wt% styrene-ethylene/butylene-styrene block copolymer;
3 7.7 wt% ethylene/propylene copolymer;
4 39.3 wt% calcium carbonate;
5 17.8 wt% factice;
6 2.2 wt% pumice; and
7 1 wt% titanium dioxide.

EX 1 15. The eraser composition of claim 8 wherein said composition has a hardness
2a of ~~from~~ 70 to 80 Shore A.

1 16. The eraser composition of claim 8 wherein said calcium carbonate is dry
2 ground.

EX 1a 17. The eraser composition of claim 8 wherein said calcium carbonate has a
2 mean particle size of ~~from~~ 6 to 20 microns.

1 18. The eraser composition of claim 8 wherein said calcium carbonate has a
2 mean particle size of 12 microns.